




Product Features

- Receives and decodes both MPEG2 and MPEG4 Streams
- Compatible with wide variety of standards, such as DVB-S/S2/T/C, ASI, or IP
- Provides 2 common interfaces for simultaneously decoding multiple channels
- Wide range of outputs: HDMI, YPbPr, CVBS, HD/SD-SDI or IP
- Supports Multi-Channel IP unicast and Multicast (SPTS Outputs for IPTV)
- Supports Pro-MPEG Forward Error Correction
- Offers Network Management and supports SNMP

Product Applications



Product Specifications

	QPSK(8PSK)	Frequency Range Symbol Rate Signal Strength FEC Mode Rate Demodulation	950 - 2150 MHz 1-45 Ms/s (1-37 Ms/s for 8PSK) -65~-25 dBm 1/2,2/3,3/4,5/6,7/8 QPSK, 8PSK
Tuner	QAM	Frequency Range Symbol Rate Signal strength QAM Model	50-862MHz 3-7 Ms/s 32~-105 dBuV 16/32/64/128/256 45-858 MHz

	COFDM	Frequency Range Symbol Rate Signal Strength Bandwidth	0.45-7 Ms/s -90~-20 dBuV 6/7/8 M
Audio		Audio Decoding Audio Mode Connectors	MPEG-1/MPEG-2 layer I II Mono/Dual Channel/Stereo RCA (L,R), AES/EBU
Video		Video Decoding Input Bit Rate Output System Video Formats Video Connectors	MPEG-II ISO/IEC 13818- Mpeg-4 AVC/H.264 <=15Mbps PAL/NTSC/SECAM 80i, 480p, 576i, 720p. 1080i CA (CVBS, YPbPr), HDM HD-SDI
IP/TS Output		Connectors Error Correction # of Channels Broadcasting Type Supporting Protocol	100/1000Base-T, RJ45 Pro-MPEG FEC 8 Unicast or Multicast DHCP, TCP/IP, IGMP, ARP
IP/TS Input		Connector Error Correction Encapsulation type Broadcasting type	100/1000Base-T, RJ45 Pro-MPEG FEC MPEG2/MPEG4 TS over UDP or RTP Unicast or Multicast
ASI Input/Output		Connector Packet Length	BNC, 75ohm 188/204 byte/packet for input 188 byte/packet for output
Conditional Access		Interface CA Methods CAS	2 identical CI slots Multicrypt, Simulcrypt Conax/Irdeto/Viacess/ Nagravision/CTI/DV-Crypt etc.

Working Condition & Physical Specifications	Power supply voltage	AC: 90~250V, 50Hz/60Hz
	Power consumption	30W(Max) 0 ~40??
	Temperature	10%~90%
	Humidity	mmHx484mmW x274mmD
	Size (WxDxH)	3.7 Kg
	Net Weight	

**All Specifications Subject to Change Without Notice*



SatelliteDish.com ®

(954) 941-8883